


## POZOSAFE - Security portable platform for manholes

### FEATURES

- Safety platform for working in manholes designed to facilitate inspection and maintenance work in confined spaces.
- Improves signaling and prevents falls and accidents of workers, pedestrians, drivers or animals.
- Made of AISI-304 stainless steel
- Perforations to allow proper ventilation and gas outlet.
- It has a customizable gate cavity of 19,5x34,5cm that allows the passage of cables, air tubes and high-pressure cleaning hoses.
- Can be made for square chambers under request.
- Side of the platform protected with rubber sealing for anti-slip and safety purposes.



It has a slit for use on hinged manhole covers for a perfect adaptation.

### OPTIONAL ACCESSORY

Special large diameter nylon pulley system screwed to the platform with a robust stainless steel AISI-304 bearing with easy assembly. It allows the handling of materials up and down of the confined space up to 100Kg.



### MAIN USES


- Manhole safety
- Fall-in protection and rescue
- Storage tank ventilation
- Temporary lid for drain openings
- Water/Sewer line inspections.
- Pumping water from manholes

### ADVANTAGES


- Reinforced structure for support the weight of a worker.
- Adapted for use in the most common round manhole cover frames of inspection chambers.
- Easily transportable, robust and resistant, with no installation required. Ready to use in seconds.







+ **POZOSAFE**







REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED



	NAME	DATE	SOLID EDGE	
DRAWN	Ustavio	03/21/23	UGS - The PLM Company	
CHECKED			POZOSAFE	
ENG APPR			SCALE	WEIGHT
MEP APPR			SHEET 1 OF 1	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS ANGLES °X'X"			SIZE	REV
2 PL -X-XXX 3 PL -X-XXX			A2	
FILE NAME: POZOSAFE_LID.dwg				